

PRODUCT CATEGORIES

- Vital Signs / Diagnostic Equipments
- Theatre Equipments
- Maternity, Gynecology & Nursery
- Hospital Furniture
- Surgical Sets & Halloware
- Walking AIDS & Rehabilitation
- Dental
- Oxygen
- Hospital Linen
- Non - Pharmaceuticals
- Halloware
- Laboratory
- Radiology & Imaging



PULSE CARE SYSTEMS

Tel: 020-2606437

Cell: 0725 811 805 / 0735 811 805

Email: info@pulsecaresystems.com

website: www.pulsecaresystems.com

Moktar Daddah Street, Narshi House 1st Floor P.o Box 3603 - 00200 NRB-KENYA

Vital Signs / Diagnostic Equipment



Enquire For Price

Model Touch Apogee 3500

Features

- High-precision digital imaging technology
- THI, real-time compound imaging, trapezoidal imaging, extended sector imaging
- Color Doppler Flow Imaging(CDFI), spectrum Doppler
- Versatile measurement and clinical diagnostic calculation function
- Available super broadband,high density probes group, like phased array, 4D

Workstation built-in

- PACS systems and DICOM3.0 connection
- Accurate beam forming, signal processing, digital image procurement and processing ensure images with clear-cut edge and no distortion

Probes super-broadband with over 70% relative bandwidth

- Convex, Micro-Convex, Linear, Vaginal, Rectal and Phased Array probes

Clinical diagnoses abdomen (liver, kidney, gall-bladder, pancreas)

- Gynecology (uterus, ovary)
- Obstetrics (early pregnancy, basic OB, complete OB, multi gestation, fetal echo)
- Cardiology (adult and pediatric cardiology)
- Small parts (thyroid, galactophore, testicles, neonate)
- Prostate
- Peripheral vascular
- Different frequency ranges available for each probe on different clinical requirements



SS-1000 Color Doppler System

(ultrasound,ultrasoni,color doppler,scanner,3D,4D)

Class: Ultrasound Color Doppler

- Clinical Application: Clinical, ambulance, outdoor emergency etc
- Imaging Mode:B, BB, M, CD, PWD, CWD, DirPwr, Pwr
- Triplex Display: Real-time triplex display B/ Color Doppler/ Pulsed Spectral Doppler (Three TGCs can be adjusted respectively)
- THI (Tissue Harmonic Imaging) technology: Suppress speckle noise, brighten image and improve the image quality
- One-key Optimization: One key for eight-parameter adjustment, easy image optimization.
- Powerful Measurement Software: Versatile clinic-oriented measuring software package
- Image Management: Versatile image format/ large capacity cineloop storage/ preview/ edit-Port:USB2.0, RS-232., DICOM3.0, Video



600B-3

- 12.1 TFT color LCD(1024*768)
- THItissue harmonicimaging)
- Automatic report generation(Normal/OB)
- Probe automatic identification(2 probe connectors)
- Scanning angle adjustment (Convex)
- pseudo color : 3 difference

Kshs.435,000.00

Vital Signs / Diagnostic Equipment



Kshs. 375,000.00

NT3A Patient Monitor (Made in USA)

- 10.4" High Resolution Color TFT LCD
- 1-8 Channel Waveform Display
- 7 Leads ECG Waveform Display; ST Segment Analysis
- Defibrillation and ESU Protection
- OxyCRG diagram
- Venous Punch
- Applicable for adult, pediatric, and neonatal patients
- Standard Configuration: ECG, NIBP, RESP, TEMP, SpO2
- Options: Thermal Recorder, CO2, IBP, Central Monitoring System



Kshs. 170,000.00

NT2C-Solaris Newtech (Vital Signs Monitor)

- Bright, Easy-to-Read Large LED Display
- Durable, Compact and Lightweight
- Long-life Internal Rechargeable Battery for Uninterrupted Monitoring
- Bright, Easy-to-Read Large LED Display
- Durable, Compact and Lightweight
- Long-life Internal Rechargeable Battery for Uninterrupted Monitoring
- Audible/Visual Three Level Alarms with Alarm Volume Control
- 72-hour Data Memory Allowing On-screen data replay
- Suitable for Adult, Pediatric and Neonate
- Optional Internal Thermal Recorder



Kshs. 150,000.00

NT2A Portable Pulse Oximeter

- Bright, Easy-to-Read Large LED Display
- Durable, Compact and Lightweight
- Long-life Internal Rechargeable Battery for Uninterrupted Monitoring
- 72-hour Data Memory Allowing On-screen Viewing of SpO2 and Pulse Rate Trends
- Suitable for Adult, Pediatric and Neonate



Kshs. 85,000.00

Hand held Pulse oximeter

- Patient Range - Adult, pediatric, neonatal patients
- SpO2 Measurement range: 70~100% Accuracy: $\pm 1\%$ (86%~100%), $\pm 2\%$ (70% ~85%) Resolution: 1%
- Pulse Rate - Measurement range: 30~250 bpm, Accuracy: ± 1 bpm Resolution: 1bpm
- Display Mode - High Brightness Color LED, Display Area: 57(W) \times 40(H)mm
- Function-Audible and visual alarm, Battery low power and silence alarm
- AUTO power off after 2min no signal input



Kshs. 55,000.00

Hand held Pulse Oximeter

- Digital technology
- Alarm with freely set limit
- Portable
- Seat type charge
- power safe function
- Built in memory Card for data
- LED screen (visibility)

Vital Signs / Diagnostic Equipment



Kshs.15,000.00

Fingertip Pulse Oximeter

- Dependable Oxygen level and Pulse Rate
- Simple operation ,Small & lightweight design, portable
- Low power consumption -Display SpO2, PR, Pulse Bar -Dual color OLED display
- 2 AAA alkaline batteries -Low Battery indication
- Auto power on/off
- Accommodates widest range of finger sizes from pediatric to adult
- Soft Silicone Padding, Strong Slip Resistant Clip, No Pricking



Kshs. 235,000.00

Digital EGG machines 12-Channel 235k

- Large LCD display, wave form and data
- High resolution thermal printing array system frequency response 0.05 Hz to 150Hz(IEC)
- 12 standard lead, automatic lead change
- CMRR>80d>100dB(with)
- Recording paper: 50mm,20m high speed roll
- Input circuit: floating; protection against defibrillator affect.<50nA
- Rechargeable battery supporting more than 50 patients examinations
- Dimensions; 310mm x x230mm x 70 mm, weight 2.75kg
- Standard Accessories
Patient cable, thermal printing paper, limb electrodes, chest electrodes power supply cord, grounding wire



Kshs. 5,000.00

Spengler Dual Chestpiece (Stethoscope)

- Sprague rappaport type stethoscope
- Elegantly designed,robust and heavy duty.Detects high and Low frequencys with occurancy.
- Attractive coloured head with matching colour tubing.
- It comes complete with a clear multi-pocket bag for relevant accessories and replacement parts



Kshs. 12,000.00

Littmanns Stethoscope

- Chestpiece Technology Double sided
- Chestpiece Weight 65 Gram
- Extra Eartips
- Headset Material Standard Diameter Aerospace Alloy
- Net Weight 125 Gram
- Primary Trademark Name Littmann
- Tubing Color Royal Blue
- Tunable Diaphragm
- Dimensions: Length 14.0" x Width 6.9" x Height 5.8"
- Gross Weight: 2.71 lbs



Kshs. 550.00

Digital Thermometer

- Takes Temp in 30 seconds
- Safe, Comfortable, Flexible tip
- Clinically Tested
- 100% Waterproof and Disinfectable
- Measurement end beep tone

Vital Signs / Diagnostic Equipment



Kshs. 6,500.00

Infrared Thermometer

- Display range: 34° C~44.0° C(93.2° F~111.2° F)
- Accuracy: $\pm 0.2^{\circ}$ C($\pm 0.4^{\circ}$ F)
- Min Scale: 0.1
- Memory: 10 memories
- Measuring time: One Second



Kshs. 750.00

Digital Thermometer (Flexo)


- Takes Temperature in 30 mins
- Flexible, Safe, Comfortable
- Clinically Tested
- 100% waterproof and disinfectable
- Battery Level control
- New Technology
- Easy to use
- Accurate Readings



Kshs. 45,000.00

Digital Weighing Scale (with Height Metre)

- Economical Choice of an effective scale
- Adult weighing scale beam type with height measure
- Maximum weight 150kg
- Height measurement range 60cm - 200cm



Analogue Weighing Scale (with height metre)

- Economical Choice of an effective scale
- Adult weighing scale beam type with height measure
- Maximum weight 150kg
- Height measurement range 60cm - 200cm

Kshs. 22,000.00



SECA Scale With BMI (Kshs. 78,000.00)

Capacity	350lbs / 160kg
Readability	1lbs / 500g
Pan Size	14" x 14" Platform
Platform size (WxHxD)	14" x 14" x3.5"
Units	Pounds / Kilograms
Functions	BMI
Weight	39.5 lbs
Dimensions (WxHxD)	14" x 39.5" x 24.5"



Kshs. 20,000.00
+ V.A.T

Digital Baby Weighing Scale

- Maximum Weight 20kg X 100gm
- Height measure up to 52cm
- Mechanical Operation
- Removable Plastic Pan.
- Can be adjusted for tare Weight.
- Used for standing child on removal of pan and adjustment



Bathroom Scales

- Platform composed of slip resistant rubber for safety and comfort
- Extra large 28 mm LCD display
- Stable base sits on slip resistant rubber feet
- Automatic switch off to preserve batteries
- 330 pound/150 kg capacity measured in 0.2 pound/100g increments
- Dimensions: 12.5 x 12.75 x 1.5 inches

Vital Signs / Diagnostic Equipment



Kshs. 10,000.00
5 Years Warranty

Pocket Foetal Doppler

Features:

- You may be able to hear your baby from as early as 10 weeks.
- Protective Fetal Doppler carrying case
- Safe and easy to use
- Suitable for home and clinical use
- 2 x 1.5V (AA) batteries included
- Small Ultrasound gel included
- CE 0470 mark



Kshs. 7,500.00
3 Years Warranty

Medel Display Top Blood Pressure

- Fully automatic Fuzzy Logic Technology
- Average of the last three readings
- Large LDC display
- 90 reading memory
- Irregular heartbeat indicator
- Convenient travel/storage case



Kshs. 5,500.00
2 Years Warranty

Medel Display Blood Pressure

- New T3 function, it simply and automatically displays the average of the last 3 readings.
- Backlit large easy-to-read LCD display.
- Tested in accordance to the ESH (European Society of Hypertension) protocol.
- Fully automatic, reliable and comfortable measuring system.
- Measures systolic pressure, diastolic pressure and pulse rate.
- Silent pump.
- 60 readings memory including time and date.
- Irregular heartbeat indicator (IHB).
- Equipped with a standard adult cuff (22-30 cm).
- Sturdy case for travelling and transport.



Kshs. 3,000.00

Mercurial Blood Pressure Machine (CAMI ITALY)

- The CAMI BP machines are accurate, highly recommended for the entire medical fraternity.
- The time tested CAMI qualify combined with a stylish design is your safe and reliable partner for measuring blood pressure



Kshs. 50,000.00

Fetal Doppler /Fetal Heart Monitor

- Compact design, portable and simple operation
- Fetal heart rate values, bar graph and heartbeat waveform color screen display
- Alarming in red when the fetal heart rate range is out of the normal range
- Battery low indicator
- Built-in speaker
- Output for headphone
- The probe can be changeable
- High sensitive doppler probe
- Low power consumption
- Auto power off within 1 min
- Color TFT display control unit, efficient signal memory and read
- Work with 2AA alkaline battery no less than 8 hours

pocket foetal Doppler
Kshs. 32,000.00

Theatre Equipment



Kshs. 1,500,000.00

Anaesthesia Machine Aeon 7200A

Features

- High speed digital servo-controlled, volume constant system
- Monitor manifold parameters, suitable for adult & paediatric
- Compliance and leakage compensation system
- TFT screen display
- Self testing, troubleshooting and warning system
- High quality vaporizers: Low, temperature and pressure compensation
- Low resistance, compact absorber system
- Special designed bellows joint for easy installation
- Precision processing
- High reliability and durability

Main Unit

- Gas supply: O₂/N₂O, Pressure: 0.3 to 0.5 MPa
- Flowmeter: O₂/N₂O four-tube flowmeter, 0 to 10 L/min
- (With inter-lock protection devices ensuring the oxygen concentration > 25 %)
- O₂ flush: 35 to 75 L/min
- O₂ deficiency: Audible alarm for at least 7 seconds when O₂ supply down



Kshs. 1,200,000.00

Anaesthesia Machine Aeon 7200

Features:

- Suitable for adult and pediatric
- 4-tubes flowmeter
- 7" color LCD screen
- Waveforms displayed: P-T, F-T
- Double vaporizers station
- Integrated CO₂ circle absorber
- Fast-release APL valve
- AGSS optional

Main Unit

- Gas supply: O₂/N₂O, Pressure: 0.3 to 0.5 MPa
- Flowmeter: O₂/N₂O four-tube flowmeter, 0 to 10 L/min
- (With inter-lock protection devices ensuring the oxygen concentration > 25 %)
- O₂ flush: 35 to 75 L/min
- O₂ deficiency: Audible alarm for at least 7 seconds when O₂ supply down



Kshs. 990,000.00

Anaesthesia Machine Aeon 7400

Features:

- Volume control and manual mode
- For adult and paediatric
- LED display
- Alloy frame are featured by its light weight, high precision
- High quality vaporizer
- Low resistance, compact absorber system
- Special designed bellows joint for easy installation
- Gas flow control system with inter-lock device
- High reliability and durability

Main Unit

- Gas supply: O₂/N₂O, Pressure: 0.3 to 3.0 mpa
- Flow meter : O₂/N₂O four tube flow meter (Flow inter-lock protection device to ensure oxygen concentration above 25% above)
- Oxygen flush: 35L/min - 75L/min
- Oxygen deficiency: audible alarm given for at least 7secs when O₂ supply drops below 0.15 Mpa

Theatre Equipment



Kshs. 1,800,000.00

Electric Operating Theatre Table

Features

- Radio translucent to pin four sections for use of C-Arm image intensifier (Perinea cut for drainage & Kidney bridge optional)
- Electronic controlled actuators concealed in eccentric chamber
- All four controls a hand unit (remote)
- Electricity used 220V AC and works on 24V DC
- Compatible for orthopedic attachment
- Inter changeable head & leg sections
- SS covered Heavy MS base with nylon wheels for easy mobility/stability
- Wheels having hand operated floor locking option
- Fitted with lithotomic padded crutches (geopal type), padded single arm rest, radio translucent padded hand board, Top frame, side bars lock lever & all standard accessories in SS materials with metallic side clamp



Kshs. 400,000.00

Manual Operating Table (Heavy Duty)

Features

- Versatile operation table for general surgical procedures
- Accurate positions achievable with easy mechanical operation
- Five section stainless steel top
- Heavy duty double cylinder hydraulic pump



Fully Automatic Autoclave

20L, 50L, 75L, 100L & 120L

- European Class B standard with 3-times per-vacuum preceding vacuum drying.
- It sterilizes and sanitizes miscellaneous packed or unpacked medical instruments, whether solid or A-type hollow, whether with multi-apertures or inset piper.
- It is installed with Bowic & Dick which measures the penetration of water steam.
- Residual humidity is <0.2% vacuum measure- ment reaches-0.70bar.

20L - Kshs. 35,000.00

50L - Kshs. 160,000.00

75L - Kshs. 190,000.00

100L -Kshs. 280,000.00

120L - Kshs. 350,000.00



Ceiling Mounted Operating Light

- Cold light shadowless 12 reflector
- Intensive illuminance
- Room Height 2.7 m minimum
- Light filtration and heat dissipation
- Wide range of adjustment in intensity focus & positioning

5 Reflector - Kshs. 90,000.00

9 Reflectors - Kshs. 170,000.00

12 Reflectors - Kshs. 250,000.00



Mobile Theatre Light
Kshs. 75,000.00

Theatre Equipment



Kshs. 25,000.00

JE 200 ELECTRIC SUCTION MACHINE

Features:

- 1 bottle x 1 ltr jar
- Portable, lightweight and attractively designed
- Suction capacity 20 litres / minute
- Power rating 220 watts
- Power mains 220V
- Bottle material autoclavable polycarbonate



Kshs. 165,000.00

Suction Machine

Body material:	mild steel, powder coated
Jar Material:	polycarbonate (autoclavable)
Vacuum pressure:	-700 +/- 10mm Hg
Suction capacity:	60 litres/minute
Type of pump:	60 litres/minute
Power:	180 watts
RPM:	1440
Operating:	50 dBA +/- 3
Castor size:	220V AC
Weight (approx)	28kg
Stainless steel utility tray of approx size	(11 x 7 x 2) inches



Kshs. 65,000.00



Kshs. 12,000.00

Manually Operated Suction Unit Code SU506

Technical Specifications:

Body Material :	Mild steel powder Coated
Jar material:	Glass
Jar Capacity:	2 x 750ml
Vacuum Pressure:	-600ml Hg
Suction Capacity:	80ml Per Stroke
Type of Pump:	Piston pump, creates Vacuum Instantly
Weight (approx):	2.5 kg



Kshs. 150,000.00

SAM 14 Suction Machine

Features

- Spare bottle for sam 14 each of 2 litres price
- Fully adjustable vacuum range
- 2 collection vessels incorporating a float valve system, providing automatic cut-off to avoid overflow
- Quiet operation with current standard
- Oil free diaphragm vacuum pump requiring minimal maintenance and eliminating cross contamination
- Totally enclosed AC induction motor with auto reset thermal overload and bearings lubricating for life, Maintenance free

Theatre Equipment



Adult Kshs. 9,500.00
Peaditric Kshs. 9,000.00

Silicon Ambu Bag

- Ambu-Bag is semi-transparent and comes with a pressure limitation valve (except adult version).
- Ambu-Bag features a textured surface and comes with a unique support strap (except neonateversion) which facilitates a steady grip and uniform tidal volumes.



Kshs. 350,000.00

Diathermy Machine

MODE	MAXIMUM POWER	LOAD
Pure Cut	300w	300 audio
Blend 1	250w	300 audio
Point Coag	120w	300 audio
Bipolar	50w	100 audio



Kshs. 450,000.00

DEFIBRILLATOR

Key Features :

- Compact 4-in-one integrated design: monitoring, Manual Defib, AED and pacer
- Large and vivid display with 3 waveforms assures easy ECG and SPO2 viewing
- Defibrillation , Synchronized cardioversion and AED with Biphasic technology
- Up to 360J escalating dose energy to maximize defibrillation success
- Powerful power capacity with battery to support continuous long time monitoring and shocks during transport without external power supply
- Compact, light weighted design especially for both hospital and clinics application

LARYNGOSCOPE



Macintosh



Miller

Sets with 3 Blades Kshs. 15,000.00
sets with 4 Blades Kshs. 22,000.00



Oxygen Delivery accessories

- oxygen accessories compatible with BOC cylinders
- oxygen set incl.flowmeter,regulator,humidifier bottle
- oxygen wall outlet socket
- vacuum regulator 0-1000 mbar,150cc
- oxygen mask with rebreathing bag
- oxygen mask with tubing
- oxygen RTM flowmeter
- oxygen BS Mk4 probe
- humidifier bottle

Maternity, Gynaecology & Nursery



Kshs. 780,000.00

Bn—100 (Luxurious) infant radiant warmer

Main functions:

- Microprocessor based servo controlled temperature system.
- The microprocessor-controlled unit allows for three settings: pre-warm, manual or automatic.
- Alarm functions for safety includes: Power failure, temperature deviation, Temperature sensor failure , over temperature.
- APGAR timer to record therapy time
- Convenient X-ray cassette under infant bed
- Heater head can be adjusted + 90° horizontally
- Tilt angle of infant bed is adjustable
- Halogen Observe light angle is adjustable
- Transparent protector folded
- Alarms are audible and visual
- A second thermal cut-out function for more safety
- Skin temperature sensor failure protect function avoid over temperature
- Temperature deviation can be amended in front panel directly
- Low pressure aspirator, oxygen supply system and LED phototherapy unit
- Electric height adjusted suit for operation



Kshs. 400,000.00

Bn—100 (Medium) infant radiant warmer

Main functions:

- Microprocessor based servo controlled temperature system.
- The microprocessor-controlled unit allows for three settings: pre-warm, manual or automatic.
- Alarm functions for safety includes: Power failure, temperature deviation, Temperature sensor failure , over temperature.
- APGAR timer to record therapy time
- Convenient X-ray cassette under infant bed
- Heater head can be adjusted + 90° horizontally
- Tilt angle of infant bed is adjustable
- Halogen Observe light angle is adjustable
- Transparent protector folded
- Alarms are audible and visual
- A second thermal cut-out function for more safety
- Skin temperature sensor failure protect function avoid over temperature
- LED photo therapy unit



Kshs. 400,000.00

BB-100 infant Incubator (Top grade)

Main functions:

- Microprocessor based servo controlled temperature system
- Temperature displayed by LED
- Alarm functions : Power failure; over temperature; temperature deviation; temperature sensor failure; fan failure; - >37 temperature setting
- A keypad lock helps prevent inadvertent changes the setting
- Temperature deviation and over temperature could be amended in front panel directly
- The infant bed inclination angle is adjustable
- Humidity is adjustable continuously
- Integral timer to record therapy time

Maternity, Gynaecology & Nursery



Kshs. 250,000.00

Infant Incubator

- Servo-controlled air
- Temperature by microcomputer
- Quiet operation
- Touch operating panel
- LED digital display
- Front door of hoods opens upwards
- Window
- Set temperature display separately
- Five alarm Functions with one phototherapy unit
- Timer record tube



Kshs. 50,000.00

Gynaecological Examination coach (locally assembled)

- 24 inches x 74 inches made from strong stainless steel tubular frame with adjustable head and knee rest perfectly designed for Gynaecological examination



Kshs. 300,000.00

Delivery Bed imported

Hydraulic Delivery Bed

Structure and feature:

Dimension: L1240xW600xH650-890mm

Stainless steel frame.

Lowest height from table top to floor: 650mm

Landing and taking off the table top: 240mm

Table forward reverse: 8°

Backward reverse: 10°

Backrest lifting: 60°

Backrest dropping: 10°

Length of table top: 1240mm

Table width: 600mm

Auxiliary table length: 500mm, width: 600mm

Standard accessories:

1. Arm support: 2PC
2. Leg support: 2PC
3. Stainless steel drain basin: 1PC
4. Assistant table: 1PC
5. Manual system: 2PC
6. Hydraulic height adjustment system: 1PC

Maternity, Gynaecology & Nursery



Kshs. 24,000.00

Examination Lamp

- Value and performance define the X100 series of minor examination lights
- Our entry-level examination light has an intensity of 20,000 lux at 0.5m and a colour temperature of 3,200K.
- Easy to position with a flexible arm; the head stays put wherever it is placed.
- The 20W cool-beam dichroic lamp ensures a clean light-patch.
- Wall, desk and rail mount options available.



Ultra sonic
Kshs. 35,000.00



Heavy Duty Kshs.
25,000.00

Nebuliser

- This equipment atomizes the liquid medicine by compressing air.
- And form tiny particles. Which flow into the throat.
- A nebulizer changes liquid medicine into fine droplets (in aerosol or mist form) that are inhaled through a mouthpiece or mask.
- Nebulizers can be used to deliver bronchodilator (airway-opening) medicines such as albuterol (Ventolin®, Proventil® or Airtel®) or ipratropium bromide (Atrovent®).
- A nebulizer may be used instead of a metered dose inhaler (MDI).
- It is powered by a compressed air machine and plugs into an electrical outlet.
- Portable nebulizers, powered by an internal battery or cigarette lighter, are available for individuals requiring treatments away from home.



Home Utility
Kshs. 18,000.00



diatric Kshs. 9,000.00
dult Kshs. 9,500.00

Silicon Manual Resuscitator (ambu bag)

- Ambu-Bag is semi-transparent and comes with a pressure limitation valve (except adult version).
- Ambu-Bag features a textured surface and comes with a unique support strap (except neonate version) which facilitates a steady grip and uniform tidal volumes.



pocket foetal Doppler
Kshs. 32,000.00



Kshs. 50,000.00

Fetal Doppler /Fetal Heart Monitor

- Compact design, portable and simple operation
- Fetal heart rate values, bar graph and heartbeat waveform color screen display
- Alarming in red when the fetal heart rate range is out of the normal range
- Battery low indicator -Built-in speaker -Output for headphone
- The probe can be changeable -High sensitive doppler probe
- Low power consumption -Auto power off within 1 min
- Color TFT display control unit, efficient signal memory and read
- Work with 2AA alkaline battery no less than 8 hours



Kshs. 8,500.00

MVA Kit

- All Polypropylene Double Pinch Valve Body, Encasing a Soft Silicone Rubber Valve Liner.
- A High Performance Device For Termination Of Early/Advance Pregnancies.
- Accessories:** 1 No Aspirator Supplied Along With An Instruction In English For assembling, Cleaning, Steriling, Creating & Retaining Vacuum And How To Connect
- Adopters/Cannulae To The Aspirator & Evacuate The Uterous.
- A Set Of 8 No Autoclavable/Winged
- Adopters Comprising 4MM, 5 Mm, 6MM, 7MM, 8MM, 9MM, 10MM & 12 MM. 1 No Plunger Stop Clip, 1 No Rubber Piston Ring, 1 No Valve Body Front Nozzle Cap/Lock & 1 No Spare Soft Silicone Rubber Valve Liner.



Kshs. 25,000.00

Baby Cots

- The height of infant bed can be adjusted by gas spring, easy for mother and the baby to communicate; Aluminum column, transparent and hi-intensity baby basin, make the appearance of the whole cart to be beautiful, decent and practical;
- Hi-Low: 980mm-780mm
- Three colours for choice, green, pink and blue.
- 100mm dia castor.

Hospital Furniture



Imported
Kshs. 33,000.00

Locally Assembled
Kshs. 12,000.00

Ward Screen

- SC-W04 Folding Ward Screen, 2, 3 and 4 panels available Structure made from non-magnetic Stainless Steel tube.
- Folding panels, each 60cm wide.
- Fabric washable and flame retardant Curtains for each section.
- Mobile on twin wheel swivel castors 50mm, for easy movement.
- Knockdown Construction.
- 3-folding Dimensions: -Height: 175cm Extended Width: 184cm
- 4-folding Dimensions: -Height: 175cm Extended Width: 245cm



Kshs. 15,000.00

Examination Couch

- Steel construction with tough white resin coating
- Thick foam top with hard wearing vinyl finish
- Rounded corners are wear resistant
- Elevated platforms avoid finger trap accidents, especially under backrest
- Auto-lock backrest mechanism allows raising and lowering with minimal effort
- Fully fire retardant to latest standards
- Supplied flat packed for easy transportation
- Dimensions: 1900mm (L) x 700mm (W) x 650mm (H)
- Colours Available: White, Black, Green, Blue & Grey



Imported
Kshs. 78,000.00

Patient Stretcher Trolley

- Trolley is armed with Removable stretcher top on CR, ERW tubular steel trolley mobile and swivel castors and two with brakes.
- Patient Trolley is lightweight, thus can be freely moved in hospital corridors.
- Size : (210L x 56W x 82H) cm.



Locally Assembled
Kshs. 55,000.00.

Stretcher Trolley

- Frame works made of steel tubular pipe mounted on 4 castors
- Removable stretcher top made mild steel, also available in S.S



Kshs. 8,000.00

Folding Stretcher

- Stretcher Opened: Approx. 1880L x 585W x 175H MM
- Carrying Capacity: Approx. 150kg

Hospital Furniture



Kshs. 13,000.00

Hospital Bed Deluxe

- Size: 36" x 74"
- Frame of hard steel and pipe
- Sides with steel welded mesh for utmost support & strength to last a lifetime
- With an adjustable head rest, mechanism and 3 castors



Kshs. 12,000.00 + VAT

Hospital Bed (with back rest)

- Size: 36" x 74"



Kshs.15,00000 + VAT

Maternity Bed (with swing crib)

- Size 36" x 74"
- Baby Cradle at the foot



Local
Kshs. 5,000.00 +VAT

Baby Cradle

- Stand made of tubular pipe with hanging hooks mounted on rubber shoes
- CRIB made of steel bars/Strips



Imported
Kshs. 22,000.00

Hospital Furniture




Kshs. 16,000.00

Kisk Basin

- Stainless steel pipe construction mounted on three 5cm.dia. castors
- supplied with one S.S Basin
- Also available in mild steel pipe construction mounted on three 5cm.dia. castors



Kshs. 7,500.00
+ VAT




Mayo's Stand

- Stainless steel tray
- Mild steel frame work mounted on 4 swiveling castors
- 75 cm Height to suit almost every theatre.
- adjustable Height approx. 800 to 1200 H mm



Imported
Kshs. 8,500.00
stainless Steel



Locally assembled
Kshs. 6,000.00
Mild steel

Drip Stand

- adjustable Height with chrome plated double"U" steel hook
- Mild steel bolted to a tripod stand on 3 swiveling castors
- Also available in S.S
- Pipe construction mounted on three 5 cm diameter castors



Kshs.6,000.00



Revolving Stool

- Adjustable height
- Top padded with foam covered with rexin
- Base constructed in mild steel pipes

Hospital Furniture



Pediatric Bed
- Size : 24" x 48" / 30" x 60"

24" x 48" Kshs. 7,000.00 + VAT
30" X 60" Kshs. 9,000.00 + VAT



Bedside Locker
- Overall size: 40L x 35W x 86H cm
- Machine pressed sheet box with lockable door
- Assembled to CRC tubular legs fitted with PVC stumps

Locally assembled
Kshs. 6,500.00
+ VAT



Imported Bedside Locker
Kshs. 15,000.00



Linen Trolley
- Linen trolley with canvas bag
- Frame work of CRC tube mounted on 10cm castors
- superior quality canvas bag

Kshs. 18,000.00
+ VAT



Instrument / Dressing Trolley
- frame work made of stainless steel tubular pipe mounted on four castors.
- Two fixed stainless steel shelves of heavy gauge

Kshs. 18,000.00
+ VAT

Surgical sets & Halloware



Kshs. 9,000.00

Evacuation Set

- Dilators (set of 8) 1pc
- Instruments tray 12 x8 1pc
- Ovum forceps 1pc
- Currete 1 pc
- Sims speculum (M) 1pc
- Sponge holding forceps 1pc



Kshs. 40,000.00

Cessarian Set

- Moris retractor 1 site 2 pcs
- Sponge Holding forceps 5 pcs
- Artery forceps straight 7" 2 pcs
- Bp handle no.4 2 pcs
- Suture removing scissors 2 pcs
- Dissectng forceps straight 1 pc
- Needle holder 6" 2 pcs
- Dissecting forceps curved 1 pc
- Mosquito forceps 10 pcs
- Spencer artery curved 10 pcs
- Green armitage 10 pcs
- Retractor abdominal 1pc
- Allis tissue forceps 6" 2 pcs
- Gallipots 90" 180ml 2pcs
- Kidney dish large 12" 1pc
- Safety pins 2 pcs
- Tray 10 x 14 1pc



Kshs. 10,000.00

D and C SET

- Double ended uterine dilator set of 8
- Cusco vaginal speculum small
- large 1 each
- Uterine curretes sims 26 x7mm - 26 x14cm 2pcs
- Weighted vaginal speculum auvard 1pc
- Ovum forceps 24cm 2pcs
- Vulselum forceps 2pcs
- Instruments tray 14 x 10
- Uterine sound 1pc

Manatomy Set (Kshs. 4,000.00)

- stitch scissors 1pc
- Rampley sponge forceps 25cm 3 pcs
- Sinus forceps 1 pc
- Spencer wells straight 15cm 1pc
- B.p handle no.3 1pc

Surgical sets & Halloware

GENERAL SURGICAL INSTRUMENT SET (Kshs. 50,000.00)

- Instrument tray 14 x 10 1pc
- Sponge holding forceps 25cm- 4pcs
- Scissors stitch 15cm 2pcs
- Mayo haeger needle holder 2pcs
- Towel clips, backaus 11cm 6pcs
- Artery forceps straight 11cm 6pcs
- Artery forceps curved 11cm 6pcs
- Artery forceps straight mosquito 13cm 6pcs
- Artery forceps curved moquito 13cm 6pcs
- Artery forceps curved 20cm 6pcs
- Artery forceps sp wells 20cm 6pcs
- Tissue forceps allis 15cm 4pcs
- Dissecting forceps toothed 15cm 2pcs
- Dissecting forceps non toothed 15cm 2pcs
- Scissors dissecting mutzenbaum 12cm 1pc
- Retractor self retaining 2pcs
- Retractor langenback 9.5 m wide 2pcs
- Retractor 75mm blade 1pc
- Scalpel handle 3 and 4 1pc each
- Lotion bowl small, medium, large 1pc each
- Kidney dish 120 ml 1pc
- Sinus forceps 1pc
- Intestinal forceps babcook 4pcs

DELIVERY SET (Kshs. 6,500.00)

- Artery forceps curved 2pc
- Kidney dish 8" 1pc
- Dissecting forceps toothed 1pc
- Dissecting forceps non toothed 1pc
- Sponge holding forceps 1pc
- Episiotomy scissors 1pc
- Mayo haegar needle holder
- Stitch removing forceps 1pc
- Gallipot 120ml 1pc
- Umbilical cord scissors 1pc
- Instrument tray 14 x 10 1pc



LAPARATOMY SET (Kshs 35,000.00)

- sponge holding forceps 5pcs
- Bp handle no.4 2pcs
- Dissecting forceps non toothed 1pc
- Dissecting forceps curved 1pc
- Mosquito forceps 10pcs
- Spencer artery curved 6" 10pcs
- Spencer artery straight 7" 2 pcs
- Green armitage 10pcs
- Instruments tray 14 x 10 1pc
- Abdominal retractors 1pc
- Morris retractor 2pcs
- Artery forceps straight 7" 2pcs
- suture removing scissors 2cs
- Needle holder 6" 2pcs
- Allis tissue forceps 6" 2pcs
- Gallipots 90ml, 180ml, 1pc each
- Kidney dish large 12" 1pc
- safety pins 2pcs

STITCHING KIT Kshs. 5,000.00

- Dissecting forceps toothed 6" 1pc
- Dissecting forceps toothed 6" plain
- Artery forceps 6" curved 1 pc
- instrument tray 12" x 8"
- Mathew needle holder 6" 1pc
- Mayo scissors 7" 1pc
- Mosquito forceps 5" 1pc

Surgical sets & Halloware



Dressing Pack (Kshs. 5,000.00)

- Kidney Dish 8" 1pc
- Artery forceps 15cm 1pc
- Dressing scissors 1pc
- Instruments tray 10 x 8 1pc
- Gallipot 180ml 1pc
- Dissecting forceps 2pcs
- Dressing gross forceps 1pc

FORCEPS

- Rochester pean forceps curved & straight 20cm	p.c	Kshs. 500.00
- Rochester pean forceps curved & straight 18cm	p.c	Kshs. 450.00
- Rochester pean forceps curved & straight 15cm	p.c	Kshs. 400.00
- Spencer wells forceps curved & straight 20cm	p.c	Kshs.500.00
- sponge holdings forceps rampley curved & straight 25cm	p.c	Kshs. 750.00

SCISSORS

Description	Unit	Price
- Episiotomy scissors 6"	p.c	Kshs. 350.00
- Episiotomy scissors 7"	p.c	Kshs. 400.00
- Episiotomy scissors 9"	p.c	Kshs. 450.00
- Iris scissors 11cm	p.c	Kshs. 300.00
- Lister bandage scissors 15cm	p.c	Kshs.350.00
- Lister bandage scissors 20cm	p.c	Kshs. 400.00
- Mayo scissors curved & straight 15 cm	p.c	Kshs. 350.00
- Mayo scissors curved & straight 20cm	p.c	Kshs. 400.00
- Mayo scissors curved & straight 23cm	p.c	Kshs. 450.00
- Mayo scissors curved & straight 15cm	p.c	Kshs. 270.00
- Operating scissors s/b curved & straight 18cm	p.c	Kshs. 400.00
- Operating scissors s/b curved & straight 15cm	p.c	Kshs. 350.00
- Operating scissors s/b curved & staright 20cm	p.c	Kshs. 500.00
- Suture removing scissors	p.c	Kshs. 300.00
- Tonsil scissors dean straight & curved 17cm	p.c	Kshs. 500.00
- Umbilical scissors 12.5cm	p.c	Kshs. 350.00

Surgical Instruments & Other Instruments

Description	Unit	Price
- Vulsellum forceps	p.c	Kshs. 700.00
- Abdominal retractor 24cm	p.c	Kshs. 1,200.00
- Abdominal retractor 26cm	p.c	Kshs. 1,400.00
- Avard speculum	p.c	Kshs. 1,500.00
- Babcock intestinal clamps 15cm	p.c	Kshs. 400.00
- Babcock intestinal clamps 18cm	p.c	Kshs. 450.00

Forceps

Description
Unit
Price

- Allis tissue forceps 15 cm	p.c	Kshs. 400.00
- Allis tissue forceps 18cm	p.c	Kshs. 450.00
- Allis tissue forceps 20cm	p.c	Kshs. 500.00
- Cheatele forceps 25cm	p.c	Kshs. 750.00
- Cheatele forceps cotainer	p.c	Kshs. 1,500.00
- Dissecting forceps 15cm plain	p.c	Kshs. 200.00
- Dissecting forceps 15cm toothed	p.c	Kshs. 200.00
- Dissecting forceps 18cm plain	p.c	Kshs. 250.00
- Dissecting forceps 18cm toothed	p.c	Kshs. 250.00
- Dressing gross forceps curved 15cm	p.c	Kshs. 400.00
- Dressing gross forceps straight 15cm	p.c	Kshs.400.00
- Dressing gross forceps straight 18cm	p.c	Kshs. 450.00
- Green armitage forceps 20cm	p.c	Kshs. 750.00
- Halstead mosquito forceps curved 12.5cm	p.c	Kshs. 350.00
- Halstead mosquito forceps straight 15cm	p.c	Kshs. 350.00
- Kocher forceps curved 12.5 cm	p.c	Kshs. 350.00
- Kocher forceps curved toothed 18cm	p.c	Kshs. 400.00
- Kocher forceps curved toothed 20cm	p.c	Kshs. 450.00
- Kocher forceps straight toothed 15cm	p.c	Kshs. 500.00
- Kocher forceps straight toothed 18cm	p.c	Kshs. 450.00
- Lane bone holdings forceps	p.c	Kshs.1,100.00
- Lanes tissue forceps	p.c	Kshs. 450.00
- Lister sinus forceps 15cm	p.c	Kshs. 400.00
- Lister sinus forceps 18cm	p.c	Kshs. 450.00
- Magil introducing forceps 20cm	p.c	Kshs. 900.00
- Magil Introducing forceps 24cm	p.c	Kshs. 1,200.00
- Ovum forceps	p.c	Kshs. 800.00

Surgical sets & Halloware



Bed Pans



Dressing Jars



Lotion Bowls
 -Extra Large
 -Large
 -Medium
 -Small



Dressing Drum
 -15 x 9 inches
 -11 x 9 inches
 -10 x 10 inches
 -9 x 9 inches
 -6 x 7 inches
 -6 x 6 inches



Gallipots
 -360ml
 -180ml
 -120ml



Kidney Dishes
 -12 inches
 -10 inches
 -8 inches
 -6 inches



Urinals
 -Male & Female



Plastic Bed Pan



Cessarian Set



Manatomy



Stitching kits




General Surgical instrument kit



Laparotomy



Evacuation Set



Vasectomy



Dressing pack

Walking AIDS & Rehabilitation



Walking Frame with
Wheels
Kshs. 5,500.00



Crutches
Kshs. 2,000.00



Walking Frame
- Adjustable Height. Light weight
- Foldable
Kshs. 5,500.00



Axillary (Shoulder)
Crutches
Kshs. 2,000.00



Adjustable Elbow
Crutches
Kshs. 1,800.00



Wheel Chair (Kshs. 11,000.00)
- Folding Wheel Chair
- Non- pneumatic wheels
- Foldable for ease of transportation



Electric wheel chair
Kshs. 140,000.00



Wheeling Commode Chair
Kshs. 15,000.00
Stationery Commode Chair
Kshs. 12,000.00

Dental



Kshs. 400,000.00

Dental Chair

Standard Features:

- Electrical dental chair 1 set
- Dental stool 1 set
- Dental operation light 1 set
- 3-way syringe (hot & cold water) 2 sets
- High suction 1 set
- Saliva ejector 1 set
- Automatic Cup Filler 1 set
- Swivel Glass Cuspidor 1 set
- Clean Water System 1 set

Option:

- Ultrasonic Scaler
- LED Curing Light
- High Speed Handpieces (NSK or Chinese Made)
- Low Speed Handpieces (NSK or Chinese Made)
- Air compressor

Technical Data:

- Power Voltage: ~220V 50Hz
- Air Pressure: 0.55~0.8MPa
- Water Pressure 0.2-0.4MPa
- Dimensions: 1510X1004X1375mm
- Gross weight: 280kg



Call for inquiry

Dental Autoclave: Tinhero 12

- European Class B standard with 3-times per-vacuum preceding vacuum drying.
- It sterilizes and sanitizes miscellaneous packed or unpacked medical instruments, whether solid or A-type hollow, whether with multi-apertures or inset piper.
- It is installed with Bovic&Dick which measures the penetration of water steam .
- Residual humidity is <0.2% vacuum measure- ment reaches-0.70bar.



Dental X-ray



Compressor



Hand Pieces



Scaler

Oxygen



Kshs. 120,000.00

AirSep VisionAire V 5L O2 Concentrator

- The lightweight unit, with its circ360 wheels, allows it to glide easily over carpets and area rugs to move effortlessly from room to room with the patient.
- Compact size (36cmx29cmx53cm) and small housing space.
- Ensuring the "Sound of Silence". The noise-free unit (40dBA) allows even the most sound-sensitive patient or loved one to sleep comfortably without interruption.
- Power-efficient with very low power consumption (290W) Contemporary styling to complement any patient's home interior.



Kshs. 240,000.00

Oxygen Concentrators-INTENSITY 10LITRES

- New intensity Concentrator
- Allows a single unit to meet the high flow requirements of a 8 lpm patient or the needs of two patients in combination of flows up to 8 lpm.
- Excellent for use in home, extended care facility, hospital, or physician's waiting room



Kshs. 180,000.00
Made in USA

Oxygen Concentrators (SINGLE FLOW AIR-SEP)

Standard

- single Flow meter has a capacity to deliver 5 litres per minute
- It produces medical oxygen up to 93% +/- 3
- Best for home use or hospital
- Operating power 230V 50/60Hz+



Dimensions: 5.8 in. high, 9.7 in. wide, 7.2 in. deep (14.7 cm high, 24.6 cm wide, 18.3 cm deep)

Weight: 3.8 lb (1.7 kg)

Temperature range: Operational temperature: 40°F to 104°F (5°C to 40°C.)

(Operating unit outside of this range can affect performance.)

Storage temperature: 30°F to 140°F (-1°C to 60°C)

Flowmeter Accuracy: ± 5% of full scale

Maximum Inlet Pressure: 50 psig (3.5 bar)



Oxygen Splitt
Kshs.140,000.00

Hospital Linen



Theatre Gowns



Dust Coat



Scrub Suits



Cellular Blankets



Patient Gown



Surgical Gown



Bed Sheet



Hospital Mattress

Non - Pharmaceuticals



Autoclave tape



Blood giving set



Chest tube



Cord Clamps



Cotton wool



Crepe bandage



Disposable Gloves



Elastoplasts



Face Masks



Folley Catheter



E.C.G Electrodes



Endotracheal tube



I.V giving set



I.D Bands



I.V cannula / Branula



I.V soluset for infusion



Laryngoscope bulbs

Non - Pharmaceuticals



Nasal Prongs for Oxygen delivery



Needles



Orange sticks



Sanitary pads



Oxygen mask



Safety boxes



Urine Bags graduated with outlets and inlets



Skin Grafting Blades



Scaip vein



Syringes



Suction tubes



sofratule



Spinal Needles



Surgicell



Surgical Blades



Surgical Gauze plain



Surgical gloves



Haematology
Mindray BC 2800

BC-2800 is a compact, fully automatic hematology analyzer with 19 parameters for CBC test and micro sampling technology. The user-friendly interface facilitates an easy and efficient workflow.

- Three-part differentiation of WBC, 19 parameters +3 histograms
- Two counting modes: whole blood and prediluted
- Throughput: 30 samples per hour.
- Sample volume: 13 ul (whole blood).
- Storage for up to 10,000 sample results (including histograms).
- Large Color LCD Display



Microscope (Olympus cx21)

Condenser: Abbe type with aperture iris diaphragm N.A.: 1.25
 Objectives: Plan Achromatic Objectives (anti-fungus)
 4x N.A.: 0.10 W.D.: 18.5mm
 10x N.A.: 0.25 W.D.: 10.6mm
 40x N.A.: 0.65 W.D.: 0.6 mm
 100xOil N.A.: 1.25 W.D.: 0.13 mm (CX21LFS1/CX21FS1 only)

Eyepiece (10x): Field Number (F.N.): 18 (anti-fungus)
 Optional Accessories: Mirror unit, 15x eyepiece (F.N. 12, anti-fungus), wooden storage box, filar micrometer, wire pointer, filter holder, darkfield stop, cord rest (CX21 only)

Weight: Approx. 6 kg

Rated Voltage/Electric Current: AC 100–240 V 50/60 Hz 0.4 A /
 AC 100–120/220–240 V 50/60 Hz 0.42/0.25 A

Power Consumption: 1.7W / 18W




Chemistry Analyzer

Main Features:

- Discrete, Through put 300 T / H (Single/double reagent), or 600T/H with ISE. Measuring 66 colorimetric items simultaneously and 3 ion test item. (Optional) Double disks with 115 sample positions, double disks with 67 reagent refrigerated cuvettes, 2 automatic barcode scanner.
- Grating photometry, Cluster-optical path, detect lowest 150ul reaction solution.
- Monitoring reaction process and reagent remaining volume. 60nm polishing treatment probe, liquid level detection, clot detection and collision protection.
- Automatic rinsing reaction cuvette, and monitor cell blank.
- Sample rerun and dilution function.
- LIS/HIS interface, supports remote maintenance.

Radiology / Imaging



500ma Two Tubes
Ksh. 5,000,000.00



XR - 130
300ma with chest stand
Ksh. 3,000,000.00



Mobile Drive HF Series
Ksh. 780,000.00



Mobile Drive
Ksh.890,000.00

Spare Parts



Pulse Oximeter Probes & Extension Cables

- Ask for any pulse oximeter sensor and extension cables
- All you need is the make and model of your machine, or a sample of the one you wish to replace



Surgical Diathermy replacement Accessories

- Diathermy Electrosurgery Fingerswitch Autoclavable handles with 2 large "click" push buttons come with 3 pin plugs


Kshs. 12,000.00



Surgical Diathermy Replacement accessories

- Bipolar cable for Diatermo MB 160 AND MB200

Kshs. 18,000.00



Surgical Diathermy Replacement Accessories

- Quality Insulated Bipolar Forceps

- 1) General Forceps
- 2) Jeweller Forceps
- 3) Bayonet Forceps
- 4) Macpherson Forceps
- 4) Straight forceps


Spare Parts



Surgical diathermy replacement Accessories
 Price: Kshs. 17,000.00 for each of the forceps
 SINGLE USE STERILE ELECTRODES 2.4mm diameter

Needle electrode	Price for 24 pcs	Kshs. 5,500.00
Blade electrode	price for 24 pcs	Kshs. 5,500.00
Ball electrode	Price for 24 pcs	kshs. 6,500.00

Also available , autoclavable re- usable electrodes




Surgical diathermy replacement Accessories

METAL PLATE AND CABLE

- cables for plates:
- Metal plate without cable

Price Kshs 6,000.00
 Price kshs. 9,000.00



Blood Pressure Monitor Spare Parts

- Hand bulb complete with valve Kshs. 500.00
- Rubber inflation bladder + velcro cuff (standard) Kshs.750.00
- Rubber inflation bladder + velcro cuff (Large) Kshs. 1,950.00



Who We are...

PULSE CARE SYSTEMS was founded in 2008 with the aim of procuring and distributing Quality Medical & laboratory Equipment to Government Hospitals, Private hospitals, Clinical laboratories, Universities and Research Institutions in the regional market at competitive and Affordable prices.

The company is located in the Central business area of Nairobi on Moktar Daddah street, Narshi house, 1st Floor. Our team is comprised of a highly skilled set of professionals covering all fields required for successful installation and maintenance of Medical & Laboratory equipment. All, that is backed up by a team of professionally factory trained engineers.

We take pride in our customers' contributions to medical science and to improving the lives of patients and are especially aware of the role we play in providing our customers with products and services which enable them to carry out their mission to provide better healthcare.

Our Competitive Advantage:

- ? - Prompt delivery and installation
- ? - Application training and consultation
- ? - International competitive pricing
 - Leading brands
 - Technical support
- ? - Factory trained team of Biomedical Engineers

MISSION

? To procure and distribute Quality Medical & laboratory Equipment to Government Hospitals, Private hospitals, Clinical laboratories, Universities and Research Institutions in the regional market at competitive and Affordable prices.

VISION

Our goal is to become the distributor of choice to all our customers. Our business strategy is to form professional partnerships with reputable manufactures and suppliers.

SERVICE

Our Technical Service ranges from maintenance on individual devices to repair regardless of our manufacturer. Our Service Maintenance Contracts are modular and tailored for each and every device and customer. Services offered are :-

- ? - Inspection
- Preventive Maintenance
- Comprehensive Maintenance

Down time is the last thing you want. Our role is to ensure that we ensure that your devices our operation 24/7/365 which is what our devices are designed for by our manufacturers.



...Pulse Courier



+254 (20) 2606437

+254 725 811 805

+254 735 811 805